

CO-BRANDING CATALOG



VONMÄHLEN
Northern Germany

Vonmählen contributes
to Global Net-Zero

VONMÄHLEN
Northern Germany



WE SUPPORT



Vonmählen GmbH is GRS verified by Intertek - 229994. The Global Recycled Standard (GRS) verifies recycled material and tracks it from the source to the final product.





PANTONE®
FROM 500 PCS.

BASICS PANTONE FROM 500 PCS.

06 | **INFINITY** R

The Universal Phone Strap

09 | **ZWEINS. C** R

The USB-C Backup Cable

CLASSICS PANTONE FROM 500 PCS.

12 | **EVERGREEN GO** COMING SOON

The Powerbank for the Key Ring

14 | **HIGH SIX**



The All-in-One Backup Cable

17 | **ALLROUND0. ECO** NEW R

The Sustainable All-in-One Cable

R >50% Recycled materials

 Click & discover







PREMIUM

- 20 | **ALLROUND0. GaN** **R**
The 30W GaN Charger + All-in-One Cable
- 23 | **FINDME** **NEW**
The Ultra-Slim Bluetooth® Tracker Card
- 26 | **EVERGREEN MAG** **NEW**
The Magnetic Powerbank
- 29 | **AURA HOME**
The 3in1 Magnetic Wireless Charger
- 32 | **AIR BEATS GO** **PANTONE FROM 500 PCS.**
The Ultimate Pocket Speaker
- 35 | **AIR BEATS MINI**
The Compact Speaker

R >50% Recycled materials

 Click & discover





55% RECYCLED MATERIALS

INFINITY

THE UNIVERSAL PHONE STRAP



This Infinity contains 55% GRS certified recycled post-consumer polyethylene terephthalate (PET), certified by Intertek 223894

ALL PORTS REMAIN FREE



ADJUSTABLE NYLON STRAP
WITH KNOT DESIGN



ALL BUTTONS AND CAMERAS
REMAIN FREE AND USABLE



UNIVERSAL FOR ALL PHONES



SPECIFICATIONS

Dimensions

L 141 × W 68 × H 7 mm

Weight

29 g

Materials

GRS-certified PET,
silicone

Strap

up to 150 cm (adjustable)



CUSTOMIZED
PACKAGING AVAILABLE
(WITH OR WITHOUT
A VIEWING WINDOW)

Coloring in 
PANTONE PROCESS BLACK C
IFE00009

Coloring in 
WHITE
IFE00010



CUSTOMIZATION

PANTONE coloring
Nylon strap + Body

Branding area
Ø 25 mm

Finishing
4c UV printing/
3c Silkscreen printing

PACKAGING

Packing dimensions
L 167 × W 92 × H 19.5 mm

Weight incl. product
66 g

Customs tariff number
39269097900

Origin country
China




NEW RECYCLED COPPER*
ZWEINS® C
THE USB-C BACKUP CABLE



This Zweins-C contains 20% GRS certified recycled post-consumer acrylonitrile butadiene styrene (ABS), 9% GRS certified recycled post-consumer polycarbonate (PC), 21% GRS certified recycled post-consumer thermoplastic elastomer (TPE), 3% GRS certified recycled post-consumer copper, certified by Intertek 223894.

**COMPACT DESIGN
FOR THE KEY RING**




Key ring included

USB-C BACKUP CABLE



**FAST CHARGING PERFORMANCE
+ 60W POWER DELIVERY**



SPECIFICATIONS

Dimensions / Weight

L 40 × W 12 × H 16.5mm
10.5g

Materials

GRS-certified ABS,
GRS-certified PC,
GRS-certified TPE,
Recycled Copper,
Iron

Connectors

2× USB-C


Charging speed


USB-C to USB-C: 3A (60W)

Data transfer rate

480 Mbit/s



Coloring in 
PANTONE PROCESS BLACK C
 ZWC00001

Coloring in 
WHITE
 ZWC00002

CUSTOMIZED
PACKAGING AVAILABLE
 (WITH OR WITHOUT
 A VIEWING WINDOW)



CUSTOMIZATION

Pantone coloring Case + cable
 Branding area 25 × 8 mm
 Finishing 4c UV printing

PACKAGING Key ring included.

Packing dimensions L 95 × W 35 × H 18 mm
 Weight incl. product 16 g
 Customs tariff number 85444290900
 Origin country China



COMING SOON


42% RECYCLED MATERIALS

EVERGREEN GO

THE POWERBANK FOR THE KEY RING



**QUICK AND SECURE ATTACHMENT
TO YOUR KEY RING**



**EMERGENCY POWER:
CHARGES AN iPhone 16 UP TO 25 %**



**INTEGRATED, DETACHABLE
USB-C TO USB-C CABLE**



SPECIFICATIONS

Dimensions / Weight

L 77.65 × W 34.6 × H 12.3mm
41.5g

Materials

TPE, ABS+PC,
Stainless Steel,
Recycled Copper

USB-C Input / Output

5V=1A

Battery Capacity

1,000mAh / 3.7V

Data transfer rate

480 Mbit/s

Additional functions

· LED battery status light


NEW RECYCLED COPPER*
HIGH SIX
THE ALL-IN-ONE BACKUP CABLE



VONMÄHLEN
Northern Germany

*High Six with recycled copper is available from Q2 / 2025

**COMPACT DESIGN
FOR THE KEY RING**



FAST CHARGING PERFORMANCE (60W)



**COMPATIBLE WITH ALL
END DEVICES (6IN1)**



SPECIFICATIONS

Dimensions / Weight

L 61 × W 12 × H 16.5mm
32.5g

Materials

ABS, TPE, Stainless Steel,
Recycled Copper, Iron

Adapters

USB-A, 2in1 Connector
(Micro-USB / compatible
with iPhone / iPad)

Connectors

2× USB-C

Charging speed

USB-C to USB-C: 3A (60W)
USB-C to Lightning: 2.4A
USB-C to Micro-USB: 1A

USB-A to USB-C: 3A
USB-A to Lightning: 2.4A
USB-A to Micro-USB: 1A

Data transfer rate

480 Mbit/s
(no data transfer via
USB-A / USB-C to Micro-USB)



CUSTOMIZED
PACKAGING AVAILABLE
(WITH OR WITHOUT
A VIEWING WINDOW)

ALL BLACK
HSI00028

BLACK
HSI00029



CUSTOMIZATION

PANTONE coloring Cable + adapter	Branding area 18 x 8 mm	Finishing Laser engraving
-------------------------------------	----------------------------	------------------------------

PACKAGING Key ring included.

Packing dimensions L 95 x W 35 x H 18 mm	Weight incl. product 37 g	Customs tariff number 85444290900	Origin country China
---	------------------------------	--------------------------------------	-------------------------





NEW RECYCLED COPPER*

ALLROUND® ECO

THE SUSTAINABLE ALL-IN-ONE CABLE



This allrounds_eco contains 6% GRS certified recycled post-consumer polycarbonate (PC), 24% GRS certified recycled post-consumer acrylonitrile butadiene styrene (ABS), 11% GRS recycled post-consumer thermoplastic polyurethane (TPU), 20% GRS certified recycled post-consumer thermoplastic elastomer (TPE), 9% GRS certified recycled post-consumer copper, certified by Intertek 223894

VONMÄHLEN
Northern Germany

*allrounds_eco with recycled copper is available from Q2/2025

UNIVERSAL FOR ALL DEVICES (6IN1)



**FAST CHARGING PERFORMANCE
+ 60W POWER DELIVERY**



COMPACT DESIGN



CABLE LENGTH UP TO 90 cm



SPECIFICATIONS

Dimensions / Weight

L 76 × W 72.4 × H 23.6mm
70g

Materials

GRS-certified PC,
GRS-certified ABS,
GRS-certified TPU,
GRS-certified TPE,
Stainless Steel, Zinc,
Recycled Copper

Cable length

up to 90 cm

Adapters

Micro-USB, USB-A,
Lightning

Charging speed

USB-C to USB-C: 3A (PD 60W)
USB-C to Lightning: 2.4A
USB-C to Micro-USB: 2A

USB-A to USB-C: 3A
USB-A to Lightning: 2.4A
USB-A to Micro-USB: 2A

Data transfer rate


480Mbit/s




PANTONE COLORING
FROM 500 PCS.



PANTONE PREMIUM COLORING
FROM 3,000 PCS.



Coloring in 
PANTONE PROCESS BLACK C
ALE00012

Coloring in 
WHITE
ALE00013

CUSTOMIZED
PACKAGING AVAILABLE
(WITH OR WITHOUT
A VIEWING WINDOW)



CUSTOMIZATION The connectors are only available in black or white.

PANTONE coloring (Only bottom shell)	Branding area Ø 45 mm	Finishing 4c UV printing
PANTONE Premium coloring (Cable + depot + bottom shell)		

PACKAGING

Packing dimensions L 80 × W 77 × H 26 mm	Weight incl. product 87 g	Customs tariff number 85444290900	Origin country China
---	------------------------------	--------------------------------------	-------------------------





NEW RECYCLED COPPER*

ALLROUND[®] GaN

THE 30 W GaN CHARGER + ALL-IN-ONE CABLE



This allroundo, GaN contains 29% GRS certified recycled post-consumer thermoplastic elastomer (TPE),
9% GRS certified recycled post-consumer polyethylene terephthalate (PET),
8% GRS certified recycled post-consumer polycarbonate (PC),
4% GRS certified recycled post-consumer thermoplastic polyurethane (TPU),
1% GRS certified recycled post-consumer acrylonitrile butadiene styrene (ABS),
certified by Inernek 223894

30W GaN CHARGER INCLUDED



**UNIVERSAL CABLE FOR ALL DEVICES (6IN1)
CABLE LENGTH UP TO 120 cm**



**FAST CHARGING PERFORMANCE
+ 60W POWER DELIVERY**



TRAVEL CASE INCLUDED



SPECIFICATIONS

Dimensions / Weight

L 100 × W 99 × H 44 mm
182 g

Cable length

up to 120 cm

Materials

GRS-certified TPE,
GRS-certified PET,
GRS-certified PC,
GRS-certified TPU,
GRS-certified ABS,
Stainless Steel, Zinc,
Recycled Copper

Adapters

Micro-USB,
USB-A,
Lightning

Charging speed

USB-C to USB-C: 3A (PD 60W)
USB-C to Lightning: 2.4A
USB-C to Micro-USB: 2A
USB-A to USB-C: 3A
USB-A to Lightning: 2.4A
USB-A to Micro-USB: 2A

Data transfer rate

480 Mbit/s

GaN Charger Input

110-240 V ~ 1 A,
50 Hz / 60 Hz

GaN Charger Output

5V=3A
9V=3A
12V=2.5A
15V=2A (30W max)
20V=1.5A (30W max)
PPS 3.3-11V=3A
PPS 3.3-16V=2A



BLACK
SKU ACG00003

CUSTOMIZATION

Branding area 35 x 35 mm	Finishing 4c Digital transfer printing
-----------------------------	---



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)

PACKAGING

Packing dimensions L 175 x W 120 x H 53 mm	Weight incl. product 362 g	Customs tariff number 85444290900	Origin country China
---	-------------------------------	--------------------------------------	-------------------------





FINDME*

THE ULTRA-SLIM BLUETOOTH® TRACKER CARD



Ultra Thin
1.6 mm



Wireless
Rechargeable

IP67

Water and
Dust resistant

ULTRA-SLIM FOR EVERY WALLET



WIRELESSLY RECHARGEABLE
(2-3-MONTH BATTERY LIFE)



WATER AND DUST RESISTANT | IP67



WORKS WITH APPLE FIND MY



SPECIFICATIONS

Dimensions / Weight

L 85.5 × W 54 × H 1.6mm
11.5g

Materials

PC

Battery Capacity

100mAh

Input

Wirelessly rechargeable

Standby

2-3 Months

Additional functions

· Notification Sound (70-90 dB)



BLACK
SKU FDM00002



WHITE
SKU FDM00005

CUSTOMIZATION

Branding area 45 × 40 mm	Finishing 4c UV printing
-----------------------------	-----------------------------



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)

PACKAGING

Packing dimensions L 128.5 × W 79 × H 13.5mm	Weight incl. product 41 g	Origin country China
---	------------------------------	-------------------------





RECYCLED COBALT & ALUMINUM 

EVERGREEN MAG

THE MAGNETIC POWERBANK

Compatible with


MagSafe

5,000 mAh

CONTAINS RECYCLED MATERIALS



ULTRA THIN
MAGNETIC POWERBANK



WIRELESS CHARGING UP TO 15 W
(Qi2 CERTIFIED)



SPECIFICATIONS

Dimensions / Weight /
L 102 × W 70 × H 8.6 mm
118 g

Materials
Silicone,
Recycled Aluminum,
Recycled ABS+PC,
Recycled Cobalt

USB-C Input / Output
5V=3 A, 9V=2.22 A, 12V=1.67 A

**Output
Magnetic Wireless Charger**
5 W / 7.5 W / 10 W / 15 W (Max.)

Battery Capacity
5,000 mAh / 3.85 V

Additional functions
· LED battery status light



BLACK
SKU EVM00005



WHITE
SKU EVM00006



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)

CUSTOMIZATION

Branding area 55 × 73.2mm	Finishing Laser engraving
------------------------------	------------------------------

PACKAGING

Packing dimensions L 136.8 × W 81 × H 27 mm	Weight incl. product 205 g	Accessories 1 m USB-C to USB-C cable	Customs tariff number 85076000900	Origin country China
--	-------------------------------	--	--------------------------------------	-------------------------



RECYCLED TEMPERED GLASS & ALUMINUM



AURA HOME

THE 3IN1 MAGNETIC WIRELESS CHARGER



Compatible with
MagSafe

Compatible with
Apple Watch

Compatible with
AirPods

AUTOMATIC DIM MODE



**3IN1 WIRELESS CHARGING STATION OPTIMIZED FOR IPHONE,
APPLE WATCH AND AIRPODS**



PERFECT POSITIONING



SPECIFICATIONS

Dimensions / Weight

L 57 × W 187 × H 7.7 mm
149 g

Materials

Recycled Aluminum,
Recycled Tempered Glass,
Silicone, Magnet

Input (USB-C)

9V=3A

Output

5W, 7.5W, 10W, 15W

Power

2× 15W (Max.)
1× 3W (Max.)

Frequency band

Smartphone: 100 - 205 kHz
Smartwatch: 325 kHz

Additional functions

- Integrated overcharge and overvoltage protection
- Integrated short-circuit protection
- Dim mode



BLACK
SKU AUH00005



WHITE
SKU AUH00006



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)

CUSTOMIZATION

Branding area 40 × 10mm	Finishing 4c UV printing
----------------------------	-----------------------------

PACKAGING

Packing dimensions L 114 × W 218 × H 31 mm	Weight incl. product 318 g	Accessories 1 m USB-C to USB-C cable	Customs tariff number 85044095900	Origin country China
---	-------------------------------	--	--------------------------------------	-------------------------





AIR BEATS GO

THE ULTIMATE POCKET SPEAKER




**UP TO 10 HOURS
MUSIC ENJOYMENT**



BASS BOOST MODE (5W)



**BUILT-IN MICROPHONE FOR
VOICE CONTROL AND PHONE CALLS**



WATER AND DUST RESISTANT | IP67



SPECIFICATIONS

Dimensions / Weight

L 71 × W 87 × H 48.3 mm
185 g

Materials

ABS, TPU,
Iron

Sound

Power output: 5W (RMS)
Driver: 45 mm
Impedance: 4Ω ± 15 %
Sensitivity: 80 dB ± 3 dB
Frequency Response: 120 Hz - 18 kHz

Bluetooth®

Bluetooth® Version: 5.0
Bluetooth® range: 10 m
Bluetooth®-Profiles:
HFP V1.5; A2DP V1.3; AVRCP V1.5
Frequency Range: 2402 MHz - 2480 MHz

Battery

USB-C input: 5V=1 A
Battery capacity: 1500 mAh
Charging time: 5 hours
Playback time: 10 hours
Standby time: 60 hours

Design

Voice input: Microphone
Voice assistant: Siri and
Google assistant
Water resistant: IP67
Auto sleep after 15 minutes



BLACK
SKU AGO00003



WHITE
SKU AGO00004



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)



CUSTOMIZATION

Pantone coloring	Branding area	Finishing
Body + grid	65 × 37 mm	4c UV printing

PACKAGING

Packing dimensions	Weight incl. product	Accessories	Customs tariff number	Origin country
L 107 × W 95 × H 57 mm	256 g	20 cm USB-C to USB-C cable	85182900900	China



AIR BEATS MINI

THE COMPACT SPEAKER



BUILT-IN MICROPHONE FOR VOICE CONTROL AND PHONE CALLS



TRUE WIRELESS STEREO



WATER RESISTANT | IPX6



UP TO 13 HOURS SIGNATURE SOUND



SPECIFICATIONS

Dimensions / Weight

L 75 × W 99 × H 72 mm
254 g

Materials

ABS, Silicone,
Iron

Sound

Power output: 5 W (RMS)
Driver: 45 mm
Connector: 3.5 mm Audio jack
Impedance: 4 Ω
Sensitivity: 82 dB ± 3 dB
Frequency Response: 100 Hz - 18 kHz

Bluetooth®

Bluetooth® Version: 5.0
Bluetooth® range: 10 m
Bluetooth®-Profiles:
HFP V1.5; A2DPV1.3; AVRCP V1.5
Bluetooth® Frequency Range:
2402 MHz - 2480 MHz

Battery

USB-C input: 5V=1 A
Battery capacity: 2200 mAh
Charging time: 5 hours
Playback time: 13 hours
Standby time: 60 hours

Design

Voice input: Microphone
Voice assistant: Siri and
Google assistant
True wireless stereo
Water resistant: IPX6
Auto sleep after 10 minutes



BLACK
SKU ABM00006



ADDITIONAL BRANDING AREA
BRANDING B



WHITE
SKU ABM00007



ADDITIONAL BRANDING AREA
BRANDING B



CUSTOMIZED
DESIGN AVAILABLE
(PAPER SLEEVE)

CUSTOMIZATION

Branding area	Finishing
Branding A – 60 × 30mm	4c UV printing
Branding B – 40 × 25mm	

PACKAGING

Packing dimensions L 133 × W 130 × H 98 mm	Weight incl. product 485 g	Accessories 1 m USB-C to USB-C cable	Customs tariff number 85182900900	Origin country China
---	-------------------------------	--	--------------------------------------	-------------------------

